


Compilation of the results shown by patients receiving ZERONĀ® Lipolaser treatment from Aug'2011-Dec'2011 :

- **Total No Of Patients – 150**
- **Maximum sessions given – 30**
- **Minimum sessions given – 8**
- **Average Sessions/Treatment -12**
- **Average Inch Loss/Treatment - 15.914inch/40.43149cm**
- **Average Inch Loss/Session - 1.320299inch/ 3.354382cm**
- **Maximum Inch Loss/Cm Loss Observed - 52.5inch/133.35cm**
- **Minimum Inch Loss/Cm Loss Observed -8.0inch/20.32cm**

Compilation of the results shown by patients receiving ZERONĀ® Lipolaser treatment from Aug'2011-Dec'2011 (Graphical Representation):




Source : AMAYA™ Antiaging Clinics, Mumbai, India
Life Alive™ , Chennai, India

total loss(inch)

N = 150

Compilation of the results shown by patients receiving ZERONĀ® Lipolaser treatment from Aug'2011-Dec'2011 (Statistical Representation-1):




Source:
AMAYA™ Antiaging
Clinics,Mumbai,India.

Life Alive™, Chennai,India.

Inch loss	0-5	05.1-10	10.1-20	20.1-30	30.1-40	40.1-50	50.1-55
total no of patients	0	49	66	28	3	2	2

**Compilation of the results shown by patients receiving
ZERONĀ® Lipolaser treatment from Aug'2011-Dec'2011 (Statistical
Representation-2):**



Source : AMAYA™ Antiaging Clinics, Mumbai, India
Life Alive™ , Chennai, India

N = 150

Area Specific Inch Loss observed in the patients undergone Zerona Treatment from Aug'2011 to Dec'2011

Source: AMAYA™ Antiaging Clinics , Mumbai,India/ Life Alive™ , Chennai,India

S.No.	Age	Sex	Sessions	Neck	Rt.Arm	Lt.Arm	Chest	Braline	Mid abdo	Waist	Flanks	Hips	Rt. Thigh	Lt.Thigh	Total Loss
1	28	F	9	0	0.5	0.5		1.5		2	1	1.5	1	1	9
2	39	F	12	0	0.5	0.5		1		3	1.5	1.5	1.5	1.5	11
3	70	F	8	0.5	1	1		2		3.5	2	2	0.5	0.5	13.5
4	39	F	17	0.5	1.5	1.5		2.5		4	2.5	2	1	1	16.5
5	49	F	12	1	1.5	1.5		2		2.5	2	2.2	0	0	12.7
6	31	M	22	0	1	1	2		2.5	3	2	1.5	1.5	1.5	16
7	39	F	8	0	0.5	0.5		1.5		3.5	2	2	1	1	12
8	53	F	10	0.5	0.5	0.5		1.5		3	1.5	1.5	0.5	0.5	10
9	57	F	12	0	0.5	0.5		2		4.6	2	2	1	1	13.6
10	25	F	8	1	0.5	0.5		2		4	2	2	1.5	1.5	15
11	38	M	8	0	0	0	0.5		1.5	2	1	1.5	1	1	8.5
12	44	F	12	0	0	0		1		2	1.5	1.5	1	1	8
13	46	F	8	0	0	0		0.5		4	2	2.5	1.5	1.5	12
14	22	M	8	0	0	0	0		0	3.5	2.5	2	0	0	8
15	30	F	8	0	0	0		0		3.5	2	2	1	1	9.5
16	31	M	8	0	0	0	0		0	3	2	1.7	1	1	8.7
17	22	F	12	0	0	0		0		3.5	2	2	1	1	9.5
18	49	F	12	0	1	1		1.2		3.5	2	2	1	1	12.7
19	33	M	22	0.5	1	1	1		1	3	1.5	2	0.5	0.5	12
20	36	F	8	0	0	0		0		3	1.5	1.5	1	1	8
21	49	F	10	0	0	0		1		3	1.5	1.5	1	1	9
22	44	F	12	0	0	0		0		3	1.5	1.5	1	1	8
23	45	F	8	0	1	1		1		3	2	2	1	1	12
24	23	F	8	0	1	1		1		2	1	1	0.5	0.5	8
25	40	F	12	0	0	0		1		2.5	1.5	2	1	1	9
26	46	F	11	0	0	0		2		5.4	3	2.5	1	1.5	15.4
27	63	F	10	0	0	0		2		4.5	2.5	2	1.2	1	13.2
28	35	F	8	1	1	1		1		3	1.5	1.5	0	0	10
29	45	F	8	0	0.5	0.5		1.5		3	1	1.5	1	1	10
30	37	F	8	0	0	0		0		3	2	2	1	1	9

Area Specific Inch Loss observed in the patients undergone Zeron Treatment from Aug'2011 to Dec'2011

Source: AMAYA™ Antiaging Clinics , Mumbai,India/ Life Alive™ , Chennai,India

S.No.	Age	Sex	Sessions	Neck	Rt.Arm	Lt.Arm	Chest	Braline	Mid abdo	Waist	Flanks	Hips	Rt Thigh	Lt.Thigh	Total Loss
31	24	F	10	0	1	1		2		5.5	3	3	2	2.1	19.6
32	22	F	16	0	1.5	1.5		3.4		6	3	3	1.5	1.5	21.4
33	45	M	8	0	1	1	2		1	3	1	1	1	1	12
34	52	F	20	1	2	2		2.6		6.5	3	3	2	2.5	24.6
35	46	M	8	0	0.5	0.5	1		1.5	2.5	2	1	0	0	9
36	39	M	12	0	0	0	0		3	7	5	3.4	2	2	22.4
37	30	F	10	0	0	0		2		3	3	2	1	1	12
38	27	F	8	0	0	0		2		2.5	1.5	2	0.5	0.5	9
39	45	F	8	0	0.5	0.5		1		3	1.5	1.5	1	1	10
40	35	M	8	0	0	0	0		3	3	1.5	1.5	0	0	9
41	24	F	18	0	1	1		3		5.5	3.5	3	2	2	21
42	21	M	16	0	1	1	2		3	5	3	2	1	1	19
43	45	M	8	0	0	0	0		1	3	2	2	0.5	0.5	9
44	39	F	20	1	2	2		2.5		6.5	5	4	1.5	1.5	26
45	46	F	10	0	1.5	2		2.5		5	3	3	1	1	19
46	39	M	8	0	0	0	0		1	3	2	2	1	1	10
47	42	F	12	0	0.5	0.5		0		3	2	2	1	1	10
48	21	F	12	0	1	1		2		7	6	4	2	2.4	25.4
49	28	F	8	1	2	2		1.5		3	1.5	1	0	0	12
50	32	F	12	1	1.5	1.5		2		7.5	5.5	3.5	1.5	2	26
51	40	M	13	0	0	0	1		2	3	2	2	1	1	12
52	39	M	8	0	0	0	0		0	3	2	2	1	1	9
53	32	F	8	0	0	0		0.5		5	3	3	1	1	13.5
54	39	M	12	1	1.5	1.5	2.5		4.5	5	1.5	0	0	0	17.5
55	28	F	12	0	1	1		2		4	3	2	1.5	1.4	15.9
56	53	F	12	0	0	0		2		7	4	3.4	1.5	1.5	19.4
57	52	F	14	0.5	1	1		2		6.5	3.5	3.5	1.5	1.4	20.9
58	43	M	8	0	0	0	0		2	3	2	2	0	0	9
59	45	M	10	0	0	0	1		2	3	2	2	0	0	10
60	46	F	16	1	1	1		3		7	6	4	2.5	2.5	28

Area Specific Inch Loss observed in the patients undergone Zerona Treatment from Aug'2011 to Dec'2011

Source: AMAYA™ Antiaging Clinics , Mumbai,India/ Life Alive™ , Chennai,India

S.No.	Age	Sex	Sessions	Neck	Rt.Arm	Lt.Arm	Chest	Braline	Mid abdo	Waist	Flanks	Hips	Rt. Thigh	Lt.Thigh	Total Loss
61	42	F	8	0	0	0		1		3	2	2	0.5	0.5	9
62	39	F	12	0	1	1		2		4.5	3	2	1.5	1.5	16.5
63	39	M	9	0	0	0	0		2	3	2	2	1	1	11
64	42	F	12	0	0.5	0.5		0		3	2	2	1	1	10
65	21	F	8	0.5	1	1		2		7.5	3.5	3.5	1.5	1.5	22
66	28	F	9	0	0	0		1		3	2	2	0.5	0.5	9
67	40	M	12	1	1	1	1		4.5	5	1.5	0	0	0	15
68	50	M	20	0	1	1	3		5	7	6	4	1.7	2	30.7
69	55	F	10	0	1.5	1.5		1		3	2	1	0	0	10
70	64	F	12	0.5	1	1		1.5		5	2	2	0.5	0.5	14
71	40	F	8	0.5	1.5	1.5		1		3.5	2	1	0.5	0.5	12
72	50	F	14	0.5	1	1		1.5		5	1.5	2.5	0.5	0.5	14
73	39	F	10	0.5	1.5	1.5		1		3	2.5	1	0.5	0.5	12
74	28	F	9	0.5	1.5	1.5		1		3	2	1.5	0.5	0.5	12
75	24	F	8	0	0	0		1		3	2	2	0.5	0.5	9
76	38	M	8	0	0	0	0		2	3	2	1	1	1	10
77	41	F	12	0	0	0		1		3	2	2	0.5	0.5	9
78	45	F	8	0.5	1.5	1.5		1		3.5	2	1	0.5	0.5	12
79	27	M	8	0	0	0	0		2	3	2	1	0.5	0.5	9
80	30	F	8	0.5	1.5	1.5		0		3	2	1.5	0.5	0.5	11
81	31	M	8	0	0.5	0.5	0		2	3	2	1	0.5	0.5	10
82	22	F	12	0.5	1.5	1.5		1		3.5	2	1	0	0	11
83	48	F	9	0	0	0		1		3	2	2	0.5	0.5	9
84	40	M	12	1	1	1	1		4.5	5	1.5	0	0	0	15
85	53	F	12	0.5	1	1		2		6.5	3.5	3.5	1.5	1.5	21
86	52	F	14	0.5	1.5	1.5		2.5		6	3	3	1	1	20
87	43	M	8	0	0	0	0		2	3	2	1	0.5	0.5	9
88	45	M	10	0	1	1	2		2	3	2	0	0	0	11
89	43	F	16	1	2	2		3		7	5.5	3.5	2	2	28
90	42	F	8	0	0	0		1		3	2	2	1	1	10

Area Specific Inch Loss observed in the patients undergone Zeron Treatment from Aug'2011 to Dec'2011

Source: AMAYA™ Antiaging Clinics , Mumbai,India/ Life Alive™ , Chennai,India

S.No.	Age	Sex	Sessions	Neck	Rt.Arm	Lt.Arm	Chest	Braline	Mid abdo	Waist	Flanks	Hips	Rt. Thigh	Lt.Thigh	Total Loss
91	41	F	10	0.5	1.5	1.5		1.5		6	1.5	2.5	0.5	0.5	16
92	40	M	9	0	0.5	0.5	0		2	3	2	1	0.5	0.5	10
93	42	F	12	0	0	0		1		3	2	2	1	1	10
94	21	F	12	0.5	2	2		2		6.5	3.5	3.5	1.5	1.5	23
95	28	F	10	0	0	0		1		3	2	2	1	1	10
96	40	M	16	1	1	1	2		3	6	3	0	0	0	17
97	50	M	24	1	2	2	2		3	7	6	4	2	2	31
98	55	M	10	0	0.5	0.5	0		2	3	2	1	0	0	9
99	66	F	12	0	2	2		2		3	2	1	0	0	12
100	39	M	10	0	1	1	2		2	3	2	1	0	0	12
101	50	F	14	0.5	1.5	1.5		1.5		6	1.5	2.5	0.5	0.5	16
102	50	F	10	0	2	2		2		3	2	1	0	0	12
103	32	M	14	0.5	1.5	1.5	2		3.5	6	5	3	1.5	1.5	26
104	40	M	16	0	0.5	0.5	0		2	3	2	1	0.5	0.5	10
105	39	F	8	0	0	0		1		3	2	2	1	1	10
106	32	F	10	0.5	1	1		1.5		5	2	2	0.5	0.5	14
107	39	M	16	1	1	1	2		3	6	3	1	0	0	18
108	28	M	12	0	0	0	0		3.5	5.5	3	2	1	1	16
109	53	M	16	1	1	1	2		3	6	3	1	1	1	20
110	52	F	14	0.5	1.5	1.5		2		6	3	3	0.5	1	19
111	46	M	8	0	0	0	0		2	3	2	1	0.5	0.5	9
112	45	M	10	0	0.5	0.5	0		2	3	2	1	1	1	11
113	53	F	10	0	0	0		1		3	2	2	0.5	0.5	9
114	66	F	8	0.5	1	1		1.5		5	2	2	0.5	0.5	14
115	42	F	10	0.5	1	1		1.5		5	2	2	0	0	13
116	50	F	14	0.5	1	1		2		5	2.5	2	1	1	16
117	40	M	8	0.5	1	1	1		2	3.5	2	1	0	0	12
118	32	M	8	0.5	1	1	1		2	3.5	2	1	1	1	14
119	40	M	13	0	0.5	0.5	1		2	3	2	1	0	0	10

Area Specific Inch Loss observed in the patients undergone Zerona Treatment from Aug'2011 to Dec'2011

Source: AMAYA™ Antiaging Clinics , Mumbai,India/ Life Alive™ , Chennai,India

S.No.	Age	Sex	Sessions	Neck	Rt.Arm	Lt.Arm	Chest	Braline	Mid abdo	Waist	Flanks	Hips	Rt Thigh	Lt.Thigh	Total Loss
120	39	M	10	0	0	0	0		2	3	2	1	0.5	0.5	9
121	46	F	20	1.5	2.5	2.5		5.2		8	6.5	7	3	3	39.2
122	40	F	12	0.5	1.5	1.5		2.6		6	3	3	1	1	20.1
123	52	F	16	1	2	2		3		6	4	3.6	2	1.6	25.2
124	30	F	10	0	0	0		0		7	5	4	2	1.5	19.5
125	26	F	14	1	1	1		2		6.5	4	4	1.5	1.5	22.5
126	41	M	20	1	1	1	0		2	5	2.5	2	1	1	16.5
127	37	F	14	1	2	2		2.2		5	3	3	2	2	22.2
128	64	M	14	1	1.5	1.5	2		3	5	4	2.5	1.5	1.5	23.5
129	34	F	18	1	2	2		3		6	4	3.5	2	2	25.5
130	33	F	10	1	1	1		2		5	2.8	2.5	1	1	17.3
131	33	M	10	0	1	1	1		2	3	2	1	0	0	11
132	29	F	16	0.5	1	1		2		6	4	4	1.5	1.5	21.5
133	33	M	10	0	0	0	0		4	6	5	2.5	1	1	19.5
134	22	F	10	0	1	1		1.7		5.5	4	3.5	1	1	18.7
135	21	F	24	1.5	2.5	2.5		7		11	10	9	4.5	4.5	52.5
136	45	F	18	1	2	2		4		7	5	4	2.2	2	29.2
137	31	F	10	0.5	1.5	1.5		2.5		6	3	3	1	1	20
138	29	F	26	1	1	1		2		7	4	4.4	1.5	1.5	23.4
139	49	F	16	0.5	1	1		2		6	4	4	1.5	1.5	21.5
140	32	F	18	1.5	2	2		4		7	4.5	4.5	2	2	29.5
141	25	F	26	1	3	3		6		10	10	9.5	4.5	4.5	51.5
142	57	F	30	2	3.5	3.5		7		7.5	7.5	7	5	5	48
143	28	F	16	1	1	1		2		7	4	4.4	1.5	1.5	23.4
144	45	F	30	2	3.5	3.4		7		7.5	7	7	5	5	47.4
145	50	F	8	0.5	1	1		1.5		4	2	2	0	0	12
146	50	M	8	0	0	0	0		2	3	2	1	0.5	0.5	9
147	35	F	10	1.5	2	2		4		7	4	4	2	2	28.5
148	48	F	10	0.5	1	1		1.6		5	2.5	2.5	0.5	0.5	15.1
149	50	M	12	0	0	0	0		3	4.6	3	2.5	0	0	13.1
150	20	F	20	0	0	0		0		7	5	4.2	2	2	20.2

Area specific inch loss observed in the patients receiving Zerona Treatment from Aug 2011 to Dec 2011

(Source : AMAYA™ Antiaging Clinics,Mumbai India/ Life Alive™ , Chennai, India)

**Upper Body (Males
n=30**

Area	Average Inch Loss
Neck	0.37
Rt. Arm	0.87
Lt.Arm	0.87
Chest	1.27

Overall Average Inch loss in upper body (Males) 3.37

**Upper Body (Females)
n= 96**

Area	Average Inch Loss
Neck	0.442
Rt.Arm	1.06
Lt.Arm	1.06
BraLine	1.95

Overall Average Inch Loss in upper body (Females) 4.53

Lower Body (Males)

n=48

Area	Average Inch Loss
Mid abdomen	2.3
Waist	3.9
Flanks	2.45
Hips	1.5
Rt.Thigh	0.68
Lt.Thigh	0.63

Overall Average Inch loss in lower body (Males) 11.4

Lower Body (Females)

n=102

Area	Average Inch Loss
Waist	4.74
Flanks	2.93
Hips	2.7
Rt.Thigh	1.2
Lt.Thigh	1.2

Overall Average Inch loss in lower body (Females) 12.78

Overall Average Inch loss :

Males (n=48) 13.5

Females (n=102) 17.05

Total (n=150) 15.914

Confounding Factors :

- 1. Not everyone presents with the similar initial measurements.**
- 2. Not everyone looks for the inch loss at the similar locations.**
- 3. No Bra-line measurement in men.**
- 4. No mid abdomen and chest measurements in women.**
- 5. Not everyone given treatment in the full body.**
- 6. Majority were looking for Abdomen and Hips.**
- 7. Very few were looking only for upper body (Chest/Breast/Face/Arms).**
- 8. Not all the patients were Obese.**
- 9. Females are more than males.**
- 10. The observed inch loss is upto 5-20% of the pre-treatment level at targeted areas.**
- 11. Number of sessions vary as per the initial measurements and the target results.**
- 12. Averagely 12 sessions give overall inch loss of 15 inches.**